

Marco 36-inch 5.36 cu.ft. Convection Oven Gas Range

Model: FFSGS6277-36



KEY FEATURES

- 6 Sealed Burners
- 5.36 cu.ft. Convection Oven
- Continuous Cast Iron Grates
- Black Enamel Cooktop
- BTU output ranging from 4,000 to 15,000 BTU
- Built-In Temperature Gauge

APPEARANCE

Appliance type	Gas Range
Range Size	36"
Door Color	Stainless Steel
Handle Color	Stainless Steel
Knobs Color	Zinc Coated
Cooktop surface type	Deep Recessed; Grates
Oven interior color	Black enamel
Number of Knobs	7
Number of Burners	6
Case material	Stainless Steel

FEATURES

Convection Type	Single Fan
LP Convertible	Yes
LP Kit Provided	Yes
Oven Cleaning Type	Manual cleaning
Simmer Burner	Yes
Oven Lights	2
Oven Cooking Function:	
Convection Bake	Yes
Broil	Yes
Oven lights control	Switch activated
Air fryer Kit	No
Leveling Leg	Max: 1" - Min: $2\frac{5}{64}$
Oven rack:	
Rack Levels	6
Oven Racks	2
Oven rack size (WxD)	24" x 15"
Rack material	Electroplated
Telescopic Racks	No
Wok Support	No
Reversible Griddle	No
Grates Material	Cast Iron
Grates Type	CONTINUOUS

OVEN SPECS

Oven capacity	5.36 cu.ft.
Oven Overall interior Dimensions (WxHxD)	24" x 15" x 12"
Bake BTU	16000
Broiler BTU	10000

RANGE TOP SPECS

Capacity:	
Left Front Burner :	15000 BTU
Left Rear Burner :	9000 BTU
Center Front Burner :	9000 BTU
Center Rear Burner :	15000 BTU
Right Front Burner :	15000 BTU
Right Rear Burner :	4000 BTU

TECHNICAL SPECIFICATIONS

Electrical supply	120 V 60 HZ
Dedicated Circuit Breaker	20 Amps
Regulator Inlet Size	1/2"
Pre-installed Regulator	Yes
Pressure Required (Inch WC)	NG: 6" to 14" LP: 11" to 14"
Power cord Included	Yes
Power Cord Length	4.5 (FT)
Power Cord Type:	NEMA 5-15P
Certification	cETLus
Warranty	2 yrs


CARTON SPECIFICATIONS

Carton dimensions (WxDxH)(in)	38.4"x 30" x 44"
Carton Weight (lbs & kg)	274 lbs 112.03


PRODUCT SPECIFICATIONS

Product dimensions (WxDxH)(in)	36 x 29 x 37"
Net weight (lbs & kg)	205 lbs 92.9kg

PRODUCT DIMENSION



PRODUCT DIMENSION



A.	B.	C.	D.	E.	F.	G.
9" 27/32 (250mm)	6" 7/8 (175mm)	3" 15/16 (100mm)	6" (157mm)	31" (793mm)	34 7/16" (875mm)	27" 3/8 (695)

CUTOUT DIMENSION

