GEMINI KITCHEN FAUCET (GEM-KF)

Pull-Down Kitchen Faucet

ZLINE ATTAINABLE LUXURY®



DUAL-FUNCTION SPRAY HEAD

Switch between a standard faucet flow and an aerated spray pattern.



SINGLE- HANDLE CONTROL

Precisely adjust water flow and temperature.

GEM-KF-CH

Chrome Finish



GENERAL PROPERTIES

SKUs	GEM-KF-CH, GEM-KF-BN
Product Height	15 7/8"
Base Finishes	Chrome, Brushed Nickel
Product Type	Kitchen Faucet
Faucet Type	Pull-Down
Housing Material	Brass
Mount Location	Deck Mount
Product Weight	3.5 lb (1.6 kg)
Certification	UPC Listed, CUPC Listed, NSF 61

FAUCET SPECIFICATIONS


Pull Out Spray Wand	Yes
Pull Down Reach	18 1/8"
Spout Reach	8 3/4
Connection Size	9/16-24UNEF-2B
Flow Rate	1.8 GPM
Swivel	360°

WARRANTY

Manufacturing Warranty: Limited lifetime warranty to cover any manufacturing defects.

BASE FINISHES





FEATURES AND BENEFITS

European Craftsmanship: Gemini Kitchen Faucets are crafted with components sourced from Hungary, Switzerland, and Spain to ensure top-of-the-line performance and longevity.
PVD Technology: ZLINE Kitchen Faucets utilize state-of-the-art, environmentally friendly PVD technology that fully protects from scratching, tarnishing, and corrosion.
Dual Spray Options: Switch between a standard faucet flow for filling and an aerated spray pattern for rinsing, ideal for dish-washing and cleaning versatility.
360-Degree Swivel Technology: A custom-designed faucet base swivels 360 degrees to allow for unobstructed sink access when not in use.
Lock-In Design: Gemini Kitchen Faucets are manufactured with cutting-edge lock-in technology to keep your pull-down spray wand docked and secure.
Durable Construction: Gemini Kitchen Faucets are built with solid brass housing and high-grade cartridges, and tested over 3 times the required amount for quality assurance.
Installation Ready: All ZLINE Kitchen Faucets include pre-attached water supply lines and all mounting hardware needed for professional installation.
ADA Compliance: All ZLINE Kitchen Faucets are ADA-compliant to ensure accessibility and inclusivity for all users.

INSTALLATION AND PLUMBING

Max Deck Thickness	2"
Minimum Installation Hole Diameter	Ø1 5/16" (Ø34 mm)
Maximum Installation Hole Diameter	Ø1 7/16" (Ø37 mm)
Number of Installation Holes	1

Installation Hardware: Included; pre-attached water supply lines and mounting hardware

INSTALLATION RESOURCES

Installation / User Manual	Click Here



DESIGN YOUR SIGNATURE LOOK

Visit **zlinekitchen.com** to explore additional configurations, kitchen accessories, and hardware.





GEM-KF-PG

Polished Gold



GEM-KF-MB

Matte Black



GEM-KF-CB

Champagne Bronze



GEM-KF-ZBNCB

Brushed Nickel and Champagne Bronze



GEM-KF-ZMBCB

Matte Black and Champagne Bronze




GEM-KF-ZMBBN

Matte Black and Brushed Nickel

GEMINI KITCHEN FAUCET (GEM-KF)

Pull-Down Kitchen Faucet



CONTACT INFORMATION

PHONE

Customer Service
1-614-777-5004

Dealer Assistance
1-833-597-2461

HOURS OF OPERATION

Customer Service
Monday–Friday 6:00am–4:30pm CST

Dealer Assistance
Monday–Friday 7:00am–4:00pm CST

EMAIL

Customer Service
contact@zlinekitchen.com

Dealer Assistance
dealer@zlinekitchen.com

© 2026 ZLINE Kitchen and Bath, LLC. All rights reserved. ZLINE reserves the right to make changes at any time to its products, designs, specifications and/or features without notice. No part of this document may be reproduced, distributed, or used in any form without the express written permission of ZLINE.